

# DESIGN N STITCH

*with Quilters Select*

## Build Those Blocks!

### Pro-Tips:


- Read through all instructions before beginning.
- Seam Allowance= 1/4"

### Join Units



- Layout the units following Unit Layout.
- Construction sequence:
  - Join Row 2 units
  - Join Row 1 units
  - Join Row 3 units
  - Join rows together

### Row 2:

- Join the two star legs together as shown.



4 1/2" x 8 1/2"  
Make 16




# DESIGN N STITCH


*with Quilters Select*

## Row 2:

- Stitch newly joined unit to 4-Patch to Flying Goose Unit.



8 1/2" x 12 1/2"  
Make 16



Unit Layout

## Row 1:

- Stitch units together as shown:



4 1/2" x 8 1/2"  
Make 16




4 1/2" x 8 1/2"  
Make 16



4 1/2" x 12 1/2"  
Make 16

## Row 3:

- Stitch units together as shown



4 1/2" x 8 1/2"  
Make 16



4 1/2" x 8 1/2"  
Make 16



4 1/2" x 12 1/2"  
Make 16





# DESIGN N STITCH

*with Quilters Select*

## Join the Rows


- Join as shown.
- Press well.



12 1/2" x 12 1/2"  
Make 16

## Quilt Top Assembly

- To make the final assembly as seamless as possible, give each block a good press. Square up blocks and trim tread ends.
- Join blocks together in quadrants rather than rows to aid in keeping the quilt squared.
- Join quadrants. Press well
- If adding borders to the quilt:
  - Measure the length of the quilt in 3-5 places. Take the average of the measurements for the length of the border strips.
  - After attaching the lengthwise strips, measure the width in 3-5 places. Take the average of the measurements for the length of the top/ bottom border strips.



Quilt Top Complete!



QUILTERSSELECT.COM

Pattern design and layout powered by

Design N QUILT™