

DESIGN N STITCH

with Quilters Select


Barn Star Stitch Along with Quilters Select

Quilt Top Assembly

Pro-Tips:


- Read through all instructions before beginning.
- Seam Allowance= 1/4"

- To make the final assembly as seamless as possible, give each unit a good press. Trim any loose threads from the back of the units.
- Layout the units following the piecing diagram to ensure each Corner and Flying Goose unit is in the correct orientation.




Row 1:

- Join top left, center goose and top right corner units paying close attention to the fabric placement.



Row 1



8 1/2" X 24 1/2"




DESIGN N STITCH


with Quilters Select

Row 2:

- Join left goose, center unit and right units paying close attention to the fabric placement.




Row 2




8 1/2" X 24 1/2"

Row 3:

- Join lower left star corner, center goose and lower right units paying close attention to fabric placement.



Row 3





8 1/2" X 24 1/2"



DESIGN N STITCH

with Quilters Select

- Join the Rows as shown.
- Press well



24 1/2" x 24 1/2"

- If adding borders to the quilt:
 - Measure the length of the quilt in 3-5 places. Take the average of the measurements for the length of the border strips.
 - After attaching the lengthwise strips, measure the width in 3-5 places. Take the average of the measurements for the length of the top/bottom border strips.

Quilt Top is Complete!