

Quilt Along with QUILTERS SELECT®

2025 Color Play Sampler With Quilters Select

Block 6

Techniques Featured:

- Flying Geese
- Quarter Square Triangle Units

Pro-Tips:


- Read through all instructions before beginning.
- Seam Allowance= 1/4"

Flying Geese Units


Note: Pay close attention to the placement of each "wing".

Fabric (1)	Cut (4)	7" x 4" (Goose)
Fabric (2)	Cut (2)	4"x4" (Wings)
Fabric (3)	Cut (2)	4"x4" (Wings)
Fabric (4)	Cut (2)	4"x 4" (Wings)
Fabric (5)	Cut (2)	4"x4" (Wings)

- Mark the wrong side of each 4"x4" wing, on the diagonal from corner to corner.
- *Note: Each unit features a different fabric layout, check placement before stitching.*
- Align Fabric (2) square with corner of Fabric (1) rectangle, right sides together, marked line positioned as shown. Stitch on the marked line.
- Trim 1/4" away from the stitching line.




12" x 12" FINISHED



Make 1: Trim to 6 1/2" x 3 1/2"

Bonus Units (optional):

Stitch a second row 1/2" away from the marked line (see illustration) to create Bonus Half-Square Units from each "wing" clipping. Set these aside for future project.




- Press seam open.
- Align Fabric (3) square with remaining corner of Fabric (1) rectangle.
- Trim 1/4" away from stitching line. Press seam toward goose. Trim unit to 6 1/2" x 3 1/2".

Pattern design and layout powered by

Design **N** QUILT™

Quilt Along with QUILTERS SELECT®

- Repeat for each Goose Unit following color placement diagram. (*Goose 2-3/Goose 5-2/Goose 4-5/Goose 4-3*).




Quarter Square Units

Fabric (2-5) Cut (1 from each) 4 1/2" x 4 1/2"

Fabric (2-5) Cut (2 from each) 5" x 5"

- Mark corner to corner on wrong side of each 4 1/2" square.
- Mark corner to corner on wrong side of Fabric (3) & (5) 5" squares.
- Stitch one Fabric (3) 5" square to Fabric (4) 5" square, right sides together & 1/4" away on BOTH sides of the marked line. Cut along the drawn line, press open.
- Stitch Fabric (3) 5" square to Fabric (2) 5" square, right sides together & 1/4" away on BOTH sides of the marked line. Cut along the drawn line, press open.



- Repeat with Fabric (5) & (2) and with a Fabric (5) & (4) using the remaining 5" squares.
- Only one of each HST unit is needed for the block, set the Bonus HST aside for another project.



QUILTERSSELECT.COM

Pattern design and layout powered by



Quilt Along with QUILTERS SELECT®

Quarter Square Units cont.

- Place Fabric (2) square over HST 3-4, drawn line and seam line running in opposite directions.
- Stitch $\frac{1}{4}$ " away on each side of drawn line.
- Cut along drawn line.
- Press & trim (to $3\frac{1}{2}$ " square) the unit with the color orientation as shown. Set the remaining Bonus Unit.




Trim to $3\frac{1}{2}$ " x $3\frac{1}{2}$ "

- Place Fabric (5) square over HST 2-3, drawn line and seam line running in opposite directions.
- Stitch $\frac{1}{4}$ " away on each side of drawn line.
- Cut along drawn line.
- Press & trim (to $3\frac{1}{2}$ " square) the unit with the color orientation as shown. Set the remaining Bonus Unit.




Trim to $3\frac{1}{2}$ " x $3\frac{1}{2}$ "

- Place Fabric (4) square over HST 2-5, drawn line and seam line running in opposite directions.
- Stitch $\frac{1}{4}$ " away on each side of drawn line.
- Cut along drawn line.
- Press & trim (to $3\frac{1}{2}$ " square) the unit with the color orientation as shown. Set the remaining Bonus Unit.



Trim to $3\frac{1}{2}$ " x $3\frac{1}{2}$ "

- Place Fabric (3) square over HST 4-5, drawn line and seam line running in opposite directions.
- Stitch $\frac{1}{4}$ " away on each side of drawn line.
- Cut along drawn line.
- Press & trim (to $3\frac{1}{2}$ " square) the unit with the color orientation as shown. Set the remaining Bonus Unit.



Trim to $3\frac{1}{2}$ " x $3\frac{1}{2}$ "




Quilt Along with QUILTERS SELECT®

Quarter Square Units Ruler Method


Fabric (2-5) Cut (1 from each) 3 1/2" x 4" strip

- Straighten one short edge of Fabric 2 strip. Position the Half Square Triangle side, blunt tip of the 3N1 Ruler along the top edge of the strip, bottom of the strip at the 3 1/2" line. Cut.
- Repeat for Fabrics 3-5.



Fabric (2-5) Cut (1 from each) 2" x 9" strip

- Position the Quarter Square Triangle end, blunt tip of the ruler along the top edge of the strip, bottom edge of strip at the 2" line.
- Cut the starting angle on the left and second angle on the right.
- Rotate the rule 180°, cut. Cut 2 QST from each strip.



Join the QST Units:

- Follow color diagram for placement:
 - Stitch QST Fabric 4 to QST 3. Press seam open.
 - Stitch HST 2 to the 3-4 HST.
- Stitch QST Fabric 2 to QST 3. Press seam open.
- Stitch HST 5 to 2-3 HST.
- Stitch QST Fabric 5 to QST 2. Press seam open.
- Stitch HST 4 to 5-2 HST.
- Stitch QST Fabric 4 to QST 5. Press seam open.
- Stitch HST 3 to 4-5 HST.
- Each unit should measure 3 1/2"



QUILTERSSELECT.COM

Pattern design and layout powered by

Design **N** QUILT™


Quilt Along with QUILTERS SELECT®

Assembling the Block

Fabric (1): *Cut 4* *3 1/2" x 3 1/2" squares*

Pro-tip: Layout the units as shown to keep all HST correctly oriented for stitching.

- Stitch together center QST units as shown.
- Join the units to form Rows 1-3 as illustrated.
- Join the Row together and press. Block should measure 12 1/2" square for a 12" finish.



6 1/2" x 6 1/2"



Row 1




Row 2



Row 3



Quilt Along with QUILTERS SELECT®



QUILTERSSELECT.COM

Pattern design and layout powered by

